

HealthStreet

RESEARCH HELPING PEOPLE



Community Health Needs Assessment

Prepared by:

Department of Epidemiology

College of Public Health and Health Professions &

College of Medicine

University of Florida

Linda B. Cottler, PhD, MPH

Email: lbcottler@ufl.edu

Phone: (352) 273-5468

Through September 2020

Table of Contents

❑ Abbreviations and Definitions	1
❑ About HealthStreet	2
❑ Figure 1: County of residence among HealthStreet members, from October 2011 through September 2020	2
❑ Methodology	3
❑ Figure 2: HealthStreet Pillars	2
❑ Table 1: Demographics of HealthStreet members by year of intake	4
❑ Table 2: Access to care by year of intake	5
❑ Table 3: Research perceptions by year of intake	5
❑ Table 4: Overall health conditions by year of intake	6-7
❑ Table 5: Substance use by year of intake	8-9
❑ Table 6: Top 8 health concerns by year of intake	10
❑ Table 7: Top 3 neighborhood concerns by year of intake	10
❑ Figure 3: Trust in Research and Researchers	11
❑ Table 8: Publications from HealthStreet data	12-15
❑ Contact Us	16

Abbreviations and Definitions

CHW	Community Health Worker. CHWs are lay community members who share a common language and culture with the people they serve.
CTSA	Clinical and Translational Science Award, supported by the National Center for Translational Sciences of the National Institutes of Health under University of Florida Clinical and Translational Science Award UL1TR001427.
NIH	National Institute of Health
NIDA	National Institute on Drug Abuse

Methodology

Data in this report is stratified by the year of intake of the community members. UF HealthStreet is operational since October 2011, and has members from 54 out of 67 counties in the state of Florida. Figure 1 shows the members from different counties recruited into HealthStreet program from October 2011- September 2020.



Figure 2: HealthStreet's Pillars

Table 1 shows demographic information of HealthStreet members. Data is collected from individual questions asked of all members.

Table 1: Demographics of HealthStreet members by Year of Intake							
	2011-2012 n= 2,459	2013-2014 n= 3,100	2015-2016 n= 2,932	2017-2018 n= 2,493	2019 n= 743	2020 n= 153	Total n= 11,880
Gender							
Female	53.6%	56.8%	64.6%	63.3%	57.7%	58.2%	7,070 (59.5%)
Male	46.3%	43.2%	35.2%	36.1%	41.9%	34.0%	4,773 (40.2%)
Average Age at Baseline							
Female: Mean (SD)	40.8 (15.7)	42.2 (15.8)	47.0 (16.7)	47.4 (17.8)	49.7 (19.0)	52.7 (17.2)	45.0 (17.0)
Male: Mean (SD)	40.7 (15.6)	43.3 (15.5)	47.4 (16.6)	47.3 (17.4)	51.1 (18.2)	53.9 (17.1)	44.9 (16.6)
Age Groups at Baseline							
< 18 years old	0.9%	1.2%	2.8%	1.2%	0.0%	0.0%	170 (1.4%)
18-25 years old	20.7%	17.8%	10.3%	14.7%	13.6%	9.2%	1,845 (15.5%)
26-40 years old	29.7%	26.1%	21.3%	22.0%	21.1%	15.0%	2,893 (24.4%)
41-59 years old	35.5%	39.5%	39.8%	33.8%	27.7%	29.4%	4,358 (36.7%)
60+ years old	13.0%	15.3%	25.8%	28.2%	37.6%	39.2%	2,593 (21.8%)
Race/ Ethnicity							
Asian	1.8%	0.8%	1.0%	1.6%	1.1%	1.3%	150 (1.3%)
African-American	64.1%	61.9%	58.7%	45.1%	28.4%	31.4%	6,598 (55.5%)
White	28.1%	31.0%	36.3%	46.9%	64.1%	54.2%	4,444 (37.4%)
Other	5.7%	6.1%	4.1%	6.3%	6.5%	5.9%	663 (5.6%)
Latino/Hispanic *	4.9%	5.2%	7.1%	8.9%	8.1%	7.2%	783 (6.6%)
Marital Status							
Never Married	52.5%	50.5%	42.8%	40.8%	38.0%	25.5%	5,450 (45.9%)
Married	21.8%	17.8%	22.1%	23.5%	22.1%	26.8%	2,530 (21.3%)
Divorced/Separated/Widowed	25.5%	31.5%	34.7%	35.1%	39.8%	39.9%	3,852 (32.4%)
BMI							
Female: Mean (SD)	30.8 (8.2)	30.5 (8.4)	30.3 (8.3)	30.2 (8.4)	29.1 (8.0)	29.4 (7.6)	30.3 (8.3)
Male: Mean (SD)	27.9 (6.1)	27.3 (6.1)	27.9 (6.4)	28.1 (6.2)	28.0 (5.9)	27.8 (5.2)	27.8 (6.2)
12+ years of education	77.0%	78.5%	80.2%	83.2%	81.0%	78.4%	9,474 (79.7%)
Currently Employed	37.4%	33.5%	32.6%	37.5%	29.7%	30.1%	4,114 (34.6%)
Veteran Status	9.3%	9.5%	10.0%	12.0%	15.6%	11.1%	1,246 (10.5%)
Household Size: Mean (SD)	3.4 (3.3)	3.1 (2.9)	2.8 (2.3)	2.8 (2.6)	2.7 (3.8)	2.9 (2.6)	3.0 (2.9)
Food Insecure (not enough money to buy food)	45.1%	47.0%	48.3%	43.7%	49.7%	45.1%	5,511 (46.4%)
Pets (cat or dog)	NA	NA	NA	41.1%	44.5%	35.3%	2,550 (37.1%)
Uses social media or text messaging	62.2%	75.9%	84.9%	86.6%	85.3%	80.4%	9,291 (78.2%)
Loneliness**	NA	NA	NA	NA	4.2 (2.9)	4.1 (8.5)	4.1 (5.7)

*Latino/Hispanic is not mutually exclusive with other races.

** Loneliness on a scale of 1-10, where 1 is "Not At All Lonely" and 10 is "Completely Lonely"

Table 2 shows access to care among HealthStreet members. Data is collected from questions asked of each member.

	2011-2012 n= 2,459	2013-2014 n= 3,100	2015-2016 n= 2,932	2017-2018 n= 2,493	2019 n= 743	2020 n= 153	Total n= 11,880
No doctor visit within past 6 months	38.6%	34.9%	27.4%	22.2%	21.9%	22.9%	3,586 (30.2%)
No physical exam within past 12 months	33.6%	37.4%	29.8%	25.6%	32.8%	28.1%	3,786 (31.9%)
Been to ER within past 6 months	31.0%	33.9%	32.3%	34.7%	38.1%	25.5%	3,824 (32.2%)
Receives health care or health services at UF Health/ Shands *	NA	NA	NA	36.7%	40.4%	54.9%	2,569 (37.9%)
Ever had a colonoscopy (over 50 years) **	49.5%	51.0%	55.2%	61.5%	66.9%	64.0%	2,918 (55.9%)
Ever had a mammogram (women over 40 years) ***	85.3%	84.0%	87.9%	91.3%	84.2%	76.3%	3,643 (87.0%)
Ever screened for prostate cancer (men over 45 years) ****	NA	NA	NA	55.8%	52.6%	51.0%	851 (55.0%)

*Total Sample Size= 6,761
 ** Total Sample Size= 5,194
 *** Total Sample Size= 4,168
 **** Total Sample Size= 1,532

Table 3 shows research perceptions among HealthStreet members. Data is collected from individual questions asked of all members.

	2011-2012 n= 2,459	2013-2014 n= 3,100	2015-2016 n= 2,932	2017-2018 n= 2,493	2019 n= 743	2020 n= 153	Total n= 11,880
Ever been in a health research study	14.2%	17.2%	21.8%	20.7%	19.4%	22.2%	2,214 (18.6%)
Interested in participating in research	87.6%	94.6%	96.0%	92.7%	95.0%	85.6%	11,051 (93.0%)
Would you volunteer for a health research study:							
That only asked questions about your health	91.2%	93.9%	95.4%	93.5%	96.6%	88.9%	11,134 (93.7%)
If researchers wanted to see your medical records	82.6%	86.8%	89.3%	85.6%	92.6%	83.7%	10,290 (86.6%)
If you had to give a blood sample	81.7%	84.8%	87.7%	85.6%	90.2%	77.1%	10,133 (85.3%)
If you were asked to give a sample for genetic studies	81.2%	83.8%	88.9%	86.6%	89.9%	80.4%	10,153 (85.5%)
If you might have to take medicine	54.5%	63.0%	65.4%	55.7%	59.0%	52.3%	7,117 (59.9%)
If you were asked to stay overnight in a hospital or clinic	65.8%	73.0%	76.8%	69.9%	71.6%	68.6%	8,512 (71.6%)
If you might have to use medical equipment	76.1%	83.4%	87.5%	85.7%	89.5%	83.0%	9,952 (83.8%)
If you didn't get paid	74.1%	78.6%	81.7%	73.9%	79.3%	77.8%	9,206 (77.5%)
Likely/ Somewhat Likely to donate brain for research	NA	NA	61.7%	60.9%	66.4%	59.5%	3,288 (62.5%)

Table 4: Overall Health Conditions of HealthStreet members by Year of Intake

	2011-2012 n= 2,459	2013-2014 n= 3,100	2015-2016 n= 2,932	2017-2018 n= 2,493	2019 n= 743	2020 n= 153	Total n= 11,880
ADD/ADHD	7.2%	7.4%	7.9%	9.1%	14.9%	13.7%	997 (8.4%)
Allergies (Animal, Drug, Food, Seasonal, Other)	38.2%	42.8%	48.6%	52.1%	56.5%	50.3%	5,487 (46.2%)
Anemia	10.8%	14.7%	13.7%	15.4%	19.1%	17.6%	1,677 (14.1%)
Antibiotic Resistant Infection	2.1%	2.7%	2.4%	4.2%	4.7%	7.2%	354 (3.0%)
Arthritis (Gout, Osteoarthritis, Other)	23.0%	21.5%	25.2%	31.6%	37.7%	29.4%	3,084 (26.0%)
Asthma	17.6%	17.4%	20.6%	20.5%	20.1%	21.6%	2,267 (19.1%)
Autism	0.3%	0.5%	0.6%	0.7%	1.2%	1.3%	67 (0.6%)
Autoimmune (Lupus, Scleroderma, Rheumatoid Arthritis)	5.7%	8.6%	11.8%	10.1%	14.0%	12.4%	1,131 (9.5%)
Back Pain, Bone Pain	40.8%	47.6%	52.4%	50.1%	61.0%	56.2%	5,801 (48.8%)
Brain/Spinal/Nervous System (Cerebral Palsy, Down Syndrome, Paralysis)	5.0%	6.5%	5.8%	7.4%	12.1%	11.1%	788 (6.6%)
Breathing/Lung (Chronic Bronchitis, Chronic Sinus Infections, Pneumonia)	14.0%	18.3%	21.5%	22.7%	25.6%	23.5%	2,335 (19.7%)
Cancer (type and treatment recorded but not reported here)	6.1%	7.2%	10.1%	11.0%	15.7%	15.7%	1,085 (9.1%)
COPD/Emphysema	3.7%	5.4%	6.7%	7.9%	10.8%	9.2%	744 (6.3%)
Dementia	0.9%	1.3%	1.9%	3.0%	13.1%	15.7%	313 (2.6%)
Dental (Dentures, halitosis, periodontal disease, untreated cavities)	33.9%	42.5%	49.5%	45.7%	53.8%	47.1%	5,214 (43.9%)
Diabetes (Type 1 & Type 2)	11.5%	11.9%	15.8%	14.3%	17.0%	18.3%	1,624 (13.7%)
Digestive Health (Acid Reflux, Crohn's Disease, Diverticulitis, Esophagitis, Gallstones, Irritable Bowel Syndrome, Pancreatitis, Ulcer, Ulcerative Colitis)	28.7%	32.1%	38.2%	40.2%	48.2%	54.2%	4,266 (35.9%)
Headaches	28.3%	32.7%	40.1%	39.5%	39.0%	39.2%	4,222 (35.5%)
Hearing (Hearing Loss, Tinnitus, Vertigo, Deafness)	17.0%	21.9%	28.4%	32.9%	41.7%	35.3%	3,117 (26.2%)
Heart/Circulation (Arrhythmias, Clots, Coronary Artery Disease, Heart Attack, Heart Murmur, Mitral Valve Prolapse, Deep Vein Thrombosis)	21.0%	28.9%	34.0%	32.3%	35.5%	30.1%	3,525 (29.7%)
Hepatitis C	1.9%	2.5%	3.2%	3.1%	2.7%	2.6%	321 (2.7%)
Hypertension	31.4%	33.7%	38.6%	38.1%	42.9%	43.1%	4,284 (36.1%)
High Cholesterol	15.0%	16.9%	23.3%	24.2%	28.1%	39.9%	2,449 (20.6%)
HIV/AIDS	0.9%	2.5%	2.0%	1.8%	2.0%	0.7%	219 (1.8%)

Table 4 shows health conditions among HealthStreet members. The respondent self-reports a history of health conditions based on responses to the question “Have you ever been told you had, or have you ever had a problem with (*CONDITION*).”

Table 4: Overall Health Conditions of HealthStreet members by Year of Intake (contd.)

	2011-2012 n= 2,459	2013-2014 n= 3,100	2015-2016 n= 2,932	2017-2018 n= 2,493	2019 n= 743	2020 n= 153	Total n= 11,880
HPV	1.5%	3.0%	2.2%	3.0%	3.2%	5.2%	299 (2.5%)
Infectious Diseases (Meningitis, Rheumatic Fever, Shingles, Tuberculosis)	4.3%	4.7%	6.8%	8.2%	10.5%	9.8%	747 (6.3%)
Kidney/Urinary (Incontinence, Kidney Failure, Kidney Stones, Urinary Tract Infections)	17.3%	21.7%	20.9%	27.4%	22.2%	19.6%	2,590 (21.8%)
Liver Cirrhosis	0.6%	0.8%	1.4%	1.2%	1.7%	0.7%	125 (1.1%)
Mental Health Disorder, Other (Eating Disorder, Personality Disorder, Schizophrenia)	5.9%	8.0%	9.5%	10.9%	15.2%	13.1%	1,078 (9.1%)
Mood Disorders/Anxiety (Anxiety, Bipolar Disorder, Depression, Mania)	27.0%	36.7%	42.2%	47.0%	59.0%	52.3%	4,729 (39.8%)
Movement Disorder (Parkinson’s Disease, Restless Leg Syndrome, Tourette Syndrome)	3.4%	5.3%	8.0%	8.8%	14.5%	15.0%	834 (7.0%)
Multiple Sclerosis	0.4%	0.9%	0.7%	0.6%	1.2%	0.0%	79 (0.7%)
Muscle/Bone (Fibromyalgia, Osteomyelitis, Osteoporosis, Scoliosis)	5.9%	10.0%	12.6%	13.4%	21.1%	17.0%	1,342 (11.3%)
Reproductive Health (Infertility)	2.6%	4.7%	4.4%	4.2%	4.7%	5.2%	487 (4.1%)
Seizures	3.8%	4.1%	5.3%	5.1%	6.7%	5.9%	564 (4.7%)
Serious Head Injury	3.7%	4.8%	7.1%	6.9%	14.1%	15.0%	749 (6.3%)
Sickle Cell Disease	1.1%	0.9%	0.6%	0.4%	0.9%	0.0%	90 (0.8%)
Skin (Acne, Athlete's Foot, Cold Sores, Eczema, Psoriasis, Rash, Rosacea, Skin Ulcers)	22.8%	31.7%	34.5%	35.6%	19.5%	15.0%	3,612 (30.4%)
Sleep (Insomnia, Narcolepsy, Sleep Apnea, Sleep Walking)	25.7%	30.6%	35.2%	39.3%	46.8%	45.1%	4,008 (33.7%)
STIs (Chlamydia, Genital Warts, Gonorrhea, Herpes, Syphilis)	6.5%	11.3%	9.7%	9.1%	11.7%	9.8%	1,125 (9.5%)
Stroke/TIA	3.4%	3.9%	5.0%	6.3%	8.9%	5.9%	583 (4.9%)
Thyroid (Hyperthyroidism, Hypothyroidism)	3.5%	4.8%	6.6%	7.8%	11.2%	15.0%	730 (6.1%)
Vision (Cataracts, Glaucoma, Retinopathy)	6.7%	10.1%	13.3%	16.6%	19.4%	19.0%	1,452 (12.2%)
Weight Control	11.5%	14.1%	21.2%	22.8%	NA	NA	1,913 (17.4%)

Table 4 shows health conditions among HealthStreet members. The respondent self-reports a history of health conditions based on responses to the question “Have you ever been told you had, or have you ever had a problem with (*CONDITION*).”

Table 5 shows substance use among HealthStreet members.

Substance use status is measured from the health assessment by asking questions such as “Have you ever used (*SUBSTANCE*)?” Respondents answering “No” are coded “**Never.**”

Respondents answering “Yes” would then be asked the follow-up question “Have you used (*SUBSTANCE*) in the last 30 days?” Those answering “Yes” are coded “**Current user,**” while those answering “No” are coded “**Past Users.**”

Table 5: Substance Use trends of HealthStreet members by Year of Intake

	2011-2012 n= 2,459	2013-2014 n= 3,100	2015-2016 n= 2,932	2017-2018 n= 2,493	2019 n= 743	2020 n= 153	Total n= 11,880
Alcohol: More than (men: 4, women: 3) alcoholic drinks in a single day, in the last 30 days	25.2%	24.0%	21.3%	23.7%	23.3%	18.3%	2,781 (23.4%)
Club Drugs							
Never	93.9%	93.0%	93.4%	90.6%	87.6%	81.0%	10,965 (92.3%)
Past user	5.2%	6.1%	6.1%	8.5%	11.0%	10.5%	809 (6.8%)
Current user (past 30 days)	0.6%	0.7%	0.2%	0.4%	1.3%	1.3%	66 (0.6%)
Cocaine or crack							
Never	84.9%	80.6%	80.1%	78.1%	72.7%	70.6%	9,529 (80.2%)
Past user	13.7%	17.0%	17.7%	19.7%	21.5%	18.3%	2,061 (17.3%)
Current user (past 30 days)	1.3%	2.3%	2.0%	2.0%	5.5%	3.9%	259 (2.2%)
Marijuana							
Never	53.7%	48.3%	52.1%	44.4%	38.0%	40.5%	5,799 (48.8%)
Past user	28.1%	34.4%	34.0%	35.9%	37.1%	35.9%	3,981 (33.5%)
Current user (past 30 days)	17.9%	17.2%	13.5%	19.1%	24.4%	15.7%	2,051 (17.3%)
Heroin							
Never	97.4%	97.0%	96.5%	96.1%	94.9%	88.9%	11,469 (96.5%)
Past user	2.4%	2.8%	3.2%	3.4%	4.6%	3.9%	366 (3.1%)
Current user (past 30 days)	0.1%	0.1%	0.2%	0.1%	0.4%	0.0%	15 (0.1%)
Speed or amphetamines							
Never	94.5%	92.1%	91.0%	88.8%	85.5%	79.7%	10,815 (91.0%)
Past user	5.1%	7.4%	8.4%	10.2%	13.2%	13.1%	974 (8.2%)
Current user (past 30 days)	0.3%	0.3%	0.5%	0.4%	1.3%	0.0%	52 (0.4%)
Prescription pain medication							
Never	57.3%	49.8%	45.0%	45.4%	36.7%	39.2%	5,735 (48.3%)
Past user	29.8%	35.8%	40.1%	41.6%	50.2%	43.1%	4,496 (37.8%)
Current user (past 30 days)	12.4%	14.0%	14.5%	12.4%	11.4%	10.5%	1,571 (13.2%)
Adderall or Ritalin							
Never	93.5%	92.8%	93.3%	90.5%	86.4%	84.3%	10,938 (92.1%)
Past user	5.2%	6.0%	5.6%	7.7%	11.2%	6.5%	760 (6.4%)
Current user (past 30 days)	0.7%	0.8%	0.9%	1.4%	1.9%	2.0%	120 (1.0%)

Table 5: Substance Use trends of HealthStreet members by Year of Intake (contd.)

	2011-2012 n= 2,459	2013-2014 n= 3,100	2015-2016 n= 2,932	2017-2018 n= 2,493	2019 n= 743	2020 n= 153	Total n= 11,880
Prescription medication for anxiety and sleep							
Never	83.4%	77.6%	73.4%	68.2%	60.8%	60.1%	8,854 (74.5%)
Past user	9.2%	13.3%	14.6%	17.5%	24.1%	18.3%	1,711 (14.4%)
Current user (past 30 days)	6.8%	8.8%	11.8%	13.6%	14.7%	13.7%	1,255 (10.6%)
Inhalants							
Never	99.1%	98.2%	98.2%	97.7%	97.3%	90.2%	11,654 (98.1%)
Past user	0.9%	1.7%	1.6%	1.8%	2.6%	2.0%	189 (1.6%)
Current user (past 30 days)	0.0%	0.0%	0.1%	0.2%	0.1%	0.7%	12 (0.1%)
Hallucinogens							
Never	95.1%	92.5%	91.6%	89.1%	86.5%	80.4%	10,879 (91.6%)
Past user	4.6%	6.8%	7.9%	10.0%	12.2%	12.4%	916 (7.7%)
Current user (past 30 days)	0.2%	0.5%	0.4%	0.4%	0.9%	0.0%	48 (0.4%)
Smoked cigarettes							
Never	46.4%	48.7%	51.0%	48.5%	39.7%	39.9%	5,708 (48.0%)
Past user	16.0%	16.1%	20.3%	23.7%	28.7%	32.7%	2,339 (19.7%)
Current user (past 30 days)	37.5%	35.2%	28.6%	27.4%	31.2%	20.3%	3,799 (32.0%)
Smoked cigars or cigarillos *							
Never	NA	69.5%	74.6%	69.2%	63.1%	71.1%	4,870 (70.9%)
Past user	NA	16.1%	13.0%	18.7%	19.0%	16.2%	1,102 (16.0%)
Current user (past 30 days)	NA	14.4%	12.4%	12.1%	17.9%	12.7%	896 (13.0%)
Tobacco through hookah, bong, pipe *							
Never	NA	84.6%	88.2%	82.4%	67.8%	73.8%	5,724 (83.3%)
Past user	NA	12.4%	9.5%	14.4%	24.4%	18.4%	914 (13.3%)
Current user (past 30 days)	NA	3.0%	2.3%	3.2%	7.8%	7.8%	233 (3.4%)
E-cigarettes *							
Never	NA	88.4%	88.1%	83.1%	76.0%	78.9%	5,827 (84.8%)
Past user	NA	7.9%	8.8%	13.2%	14.4%	15.5%	759 (11.0%)
Current user (past 30 days)	NA	3.7%	3.1%	3.7%	9.6%	5.6%	284 (4.1%)

*Total Sample Size= 6,997

Table 5 shows substance use among HealthStreet members.

Substance use status is measured from the health assessment by asking questions such as “Have you ever used (*SUBSTANCE*)?” Respondents answering “No” are coded “**Never.**”

Respondents answering “Yes” would then be asked the follow-up question “Have you used (*SUBSTANCE*) in the last 30 days?” Those answering “Yes” are coded “**Current user,**” while those answering “No” are coded “**Past Users.**”

Table 6: Top Health Concerns of HealthStreet Members by Year of Intake

	2011-2012 n= 2,168	2013-2014 n= 2,884	2015-2016 n= 2,762	2017-2018 n= 2,258	2019 n= 696	2020 n= 135	Total n= 10,903
Hypertension	34.5%	29.5%	29.8%	24.2%	22.1%	16.3%	3,144 (28.8%)
Diabetes	22.5%	21.0%	22.0%	21.3%	17.0%	16.3%	2,321 (21.3%)
Muscle and Bone Problems	17.1%	19.3%	21.8%	21.3%	23.4%	25.2%	2,207 (20.2%)
Weight Problems	15.9%	16.2%	15.4%	18.7%	14.2%	15.6%	1,779 (16.3%)
Heart Problems	16.2%	12.7%	13.9%	15.3%	16.1%	15.6%	1,581 (14.5%)
Cancer	15.9%	15.7%	14.2%	12.4%	9.6%	11.1%	1,554 (14.3%)
Oral Health	13.3%	18.0%	15.4%	8.9%	14.4%	15.6%	1,554 (14.3%)
Mental Health	8.5%	13.0%	13.6%	17.7%	16.5%	14.1%	1,469 (13.5%)

Among those with at least 1 health concern

Table 6 shows the top health concerns among HealthStreet members. The CHW asks the respondent “What are your top three health concerns?” The health concerns are ordered by prevalence and are in members’ own words.

Table 7: Top Neighbourhood Concerns of HealthStreet members by Year of Intake

	2011-2012 n= 2,459	2013-2014 n= 3,100	2015-2016 n= 2,932	2017-2018 n= 2,493	2019 n= 743	2020 n= 153	Total n= 11,880
Safety/Crime	22.7%	23.6%	27.6%	23.7%	20.3%	23.5%	2,877 (24.2%)
Health	10.0%	9.9%	7.0%	8.1%	8.5%	5.2%	1,033 (8.7%)
Drugs	8.2%	7.5%	5.4%	7.9%	7.5%	5.2%	854 (7.2%)

Table 7 shows the top neighborhood concerns among HealthStreet members. The CHW asks the respondent “What do you think is the most important concern for your neighborhood?” The neighborhood concerns are ordered by prevalence and are in members’ own words.

On a scale of 1 to 10, where
 1 is “Not At All” and
 10 is “Completely”

Scores 1-4: **Low**

Scores 5-7: **Medium**

Scores 8-10: **High**

*Among 6,773 members who answered both.




Figure 3: Baseline Trust in Research and Researchers

List of Publications with HealthStreet Data (2011-2020)

1. Cottler LB, Nagarajan R. [Real-time assessment of community health needs and concerns](#). *Sci Transl Med*. 2012 Feb 1; 4:119-22. PMID: 22301551. DOI: 10.1126/scitranslmed.3003367.
2. Cottler LB, McCloskey DJ, Aguilar-Gaxiola S, et al. [Community needs, concerns, and perceptions about health research: findings from the clinical and translational science award sentinel network](#). *Am J Public Health*. 2013;103(9):1685-1692. doi:10.2105/AJPH.2012.300941
3. Ruktanonchai CW, Pindolia DK, Striley CW, Odedina FT, Cottler LB. [Utilizing spatial statistics to identify cancer hot spots: a surveillance strategy to inform community-engaged outreach efforts](#). *Int J Health Geogr*. 2014;13:39. Published 2014 Oct 10. doi:10.1186/1476-072X-13-39
4. Webb FJ, Striley CW, Cottler LB. [Marijuana Use and Its Association with Participation, Navigation, and Enrollment in Health Research among African Americans](#). *J Ethn Subst Abuse*. 2015;14(4):325-339. doi:10.1080/15332640.2014.986355
5. Dodani S, Ruktanonchai CW, Kaeley GS, Vaddiparti K, Striley CW, Cottler LB. [Clinical Comorbidities among Cocaine Users Screened in the Community through HealthStreet](#). *Health Behav Policy Rev*. 2016;3(1):54-61. doi:10.14485/HBPR.3.1.6
6. Varma DS, Hart M, McIntyre DS, Kwiatkowski E, Cottler LB. [A Research Protocol to Test the Effectiveness of Text Messaging and Reminder Calls to Increase Service Use Referrals in a Community Engagement Program](#). *JMIR Res Protoc*. 2016;5(2):e133. Published 2016 Jun 28. doi:10.2196/resprot.5854
7. Milani SA, Crooke H, Cottler LB, Striley CW. [Sex differences in frequent ED use among those with multimorbid chronic diseases](#). *Am J Emerg Med*. 2016;34(11):2127-2131. doi:10.1016/j.ajem.2016.07.059
8. Acheampong AB, Striley CW, Cottler LB. [Prescription opioid use, illicit drug use, and sexually transmitted infections among participants from a community engagement program in North Central Florida](#). *J Subst Use*. 2017;22(1):90-95. doi:10.3109/14659891.2016.1144805

List of Publications with HealthStreet Data (2011-2020)

9. Cottler LB, Striley CW, Elliott AL, Zulich AE, Kwiatkowski E, Nelson DR. [Pragmatic trial of a Study Navigator Model \(NAU\) vs. Ambassador Model \(N+\) to increase enrollment to health research among community members who use illicit drugs](#). *Drug Alcohol Depend*. 2017;175:146-150. doi:10.1016/j.drugalcdep.2016.12.031
10. Frerichs L, Kim M, Dave G, Cheney A, Lich KH, Jones J, Young T, Cene CW, Varma D, Schaal J, Black A, Striley C, Vassar S, Cottler L, Brown A, Burke JG, Corbie-Smith G. [Stakeholder perspectives on creating and maintaining trust in community-academic research partnerships](#). *Health Educ Behav*. 2017 Feb; 44:182-91. Epub 2016 Jul 9. PMID: 27230272. PMCID: PMC6051524. DOI: 10.1177/1090198116648291
11. Serdarevic M, Striley CW, Cottler LB. [Gender differences in prescription opioid use](#). *Curr Opin Psychiatry*. 2017;30(4):238-246. doi:10.1097/YCO.0000000000000337
12. Flood-Grady E, Page SR, Karimipour N, Harris PA, Cottler LB, Krieger JL. [A content analysis of Clinical and Translational Science Award \(CTSA\) strategies for communicating about clinical research participation online](#). *J Clin Transl Science*. 2017 Dec; 1:340-51. PMID: 29707256. PMCID: PMC5915806. DOI: 10.1017/cts.2018.2.
13. Cook C, Mack J, Cottler LB. [Research participation, trust, and fair compensation among people living with and without HIV in Florida](#). *AIDS Care*. 2018;30(1):27-31. doi:10.1080/09540121.2017.1338656
14. Serdarevic M, Osborne V, Striley CW, Cottler LB. [The Association between Insomnia and Prescription Opioid Use: Results from a Community Sample in Northeast Florida](#). *Sleep Health*. 2017;3(5):368-372. doi:10.1016/j.sleh.2017.07.007
15. Ansell M, Tennant MR, Piazza V, Cottler LB. [Piloting Consumer Health Information Services in Collaboration with a Community Research Engagement Program](#). *Med Ref Serv Q*. 2017;36(4):348-361. doi:10.1080/02763869.2017.1369283
16. Dave G, Frerich L, Schaal J, Vassar S, Varma D, Striley C, Ruktanonchai C, Black A, Hankins J, Lovelady N, Cene C, Green M, Young T, Tiwari S, Cheney A, Cottler LB, Sullivan G, Brown A, Burke J, Corbie-Smith G. [Conceptualizing trust in community-academic research partnerships using concept mapping approach: a multi-CTSA study](#). *Eval Program Plann*. 2018 Feb; 66:70-8. Epub 2017 Oct 12. PMID: 29053983. PMCID: PMC5705432. DOI: 10.1016/j.evalprogplan.2017.10.007.

List of Publications with HealthStreet Data (2011-2020)

17. Elliott AL (2018) [African American gamblers: are they willing to participate in health research?](#). *Ment Health Addict Res* 3: DOI: 10.15761/MHAR.1000167
18. Webb, F.J., Khubchandani, J., Striley, C.W. *et al.* [Black-white differences in willingness to participate and perceptions about health research: Results from the population-based HealthStreet study.](#) *J Immigrant Minority Health* 21, 299–305 (2019). <https://doi.org/10.1007/s10903-018-0729-2>
19. Striley CW, Milani SA, Kwiatkowski E, DeKosky ST, Cottler LB. [Community Perceptions Related to Brain Donation: Evidence for Intervention.](#) *Alzheimers Dement.* 2019;15(2):267-272. doi:10.1016/j.jalz.2018.09.005
20. Liu Y, Elliott AL, Serdarevic M, Leeman RF, Cottler LB. [A latent class analysis of the past-30-day substance use patterns among lifetime cocaine users: Findings from a community sample in North Central Florida.](#) *Addict Behav Rep.* 2019 Feb 14;9:100170. doi: 10.1016/j.abrep.2019.100170. PMID: 31193730; PMCID: PMC6542739
21. Serdarevic M, Gurka KK, Striley CW, Vaddiparti K, Cottler LB. [Prevalence of Concurrent Prescription Opioid and Hazardous Alcohol Use Among Older Women: Results from a Cross-Sectional Study of Community Members.](#) *J Community Health.* 2019;44(1):172-177. doi:10.1007/s10900-018-0569-y
22. Milani SA, Lloyd S, Cottler LB, Striley CW. [Racial and ethnic differences in Alzheimer’s Disease knowledge among community-dwelling middle-aged and older adults in Florida.](#) *J Aging Health.* 2019 Mar 27:898264319838366. doi: 10.1177/0898264319838366. Epub ahead of print. PMID: 30913947; PMCID: PMC7027949
23. Nutley, S, Varma, D, Chen, X, Striley, CW. [Willingness of individuals with eating disorders to participate in health research.](#) *Int J Eat Disord.* 2019; 52: 914– 923
24. Liu Y, Elliott A, Strelnick H, Aguilar-Gaxiola S, Cottler LB. [Asian Americans are less willing than other racial groups to participate in health research.](#) *J Clin Transl Sci.* 2019;3(2-3):90-96. Published 2019 May 28. doi:10.1017/cts.2019.372

List of Publications with HealthStreet Data (2011-2020)

25. Serdarevic M, Striley CW, Gurka KK, Leeman RF, Cottler LB. [Sex differences in prescription opioid use patterns assessed through a community engagement program in Florida](#). *Drug Alcohol Depend*. 2019 Nov 1;204:107568. doi: 10.1016/j.drugalcdep.2019.107568. Epub 2019 Sep 20. PMID: 31568932; PMCID: PMC6878203.
26. Cottler LB, Green AI, Pincus HA, McIntosh S, Humensky JL, Brady K. [Building capacity for collaborative research on opioid and other substance use disorders through the Clinical and Translational Science Award Program](#). *J Clin Transl Sci*. 2019;4(2):81-89. Published 2019 Nov 25. doi:10.1017/cts.2019.441
27. Kim MM, Cheney A, Black A, et al. [Trust in Community-Engaged Research Partnerships: A Methodological Overview of Designing a Multisite Clinical and Translational Science Awards \(CTSA\) Initiative](#). *Evaluation & the Health Professions*. 2020;43(3):180-192 doi:10.1177/0163278718819719
28. Meissner P, Cottler LB, Eder M, Michener JL. [Engagement science: The core of dissemination, implementation, and translational research science](#). *J Clin Transl Sci*. Epub 2020 Jan 20: 1-3. DOI: 10.1017/cts.2020.8
29. Otufowora A, Liu Y, Young H 2nd, Egan KL, Varma DS, Striley CW, Cottler LB. [Sex Differences in Willingness to Participate in Research Based on Study Risk Level Among a Community Sample of African Americans in North Central Florida](#). *J Immigr Minor Health*. 2020 Apr 23. doi: 10.1007/s10903-020-01015-4. Epub ahead of print. PMID: 32328873.
30. Young HW 2nd, Martin ET, Kwiatkowski E, Tyndall JA, Cottler LB. [The Association between Emergency Department Super-Utilizer Status and Willingness to Participate in Research](#). *Emerg Med Int*. 2020;2020:9404293. Published 2020 Jun 29. doi:10.1155/2020/9404293
31. Milani SA, Swain M, Otufowora A, Cottler LB, Striley CW. [Willingness to Participate in Health Research Among Community-Dwelling Middle-Aged and Older Adults: Does Race/Ethnicity Matter?](#) *J Racial Ethn Health Disparities*. 2020 Aug 17:1–10. doi: 10.1007/s40615-020-00839-y. Epub ahead of print. PMID: 32808194; PMCID: PMC7431111.
32. Otufowora, A, Liu, Y, Varma, DS, Striley, CW, Cottler, LB. [Correlates related to follow-up in a community engagement program in North Central Florida](#). *J Community Psychol*. 2020; 1– 17. <https://doi.org/10.1002/jcop.22450>

Contact Us

Customized reports are available for:

- Community Health Needs Assessment
- Preliminary data for grants
- Cohort identification
- Navigation of screened and eligible participants in our database to your research studies

Please let us know how we can help you.

Linda B. Cottler, PhD, MPH

Email: lbcottler@ufl.edu

Phone: (352) 273-5468